

The Journal of General Virology

Volume 72 Part 11

November 1991

PLANT

- Acquisition of tomato yellow leaf curl virus by the whitefly *Bemisia tabaci* M. Zeidan and H. Czosnek 2607–2614
- Tubular structures involved in movement of cowpea mosaic virus are also formed in infected cowpea protoplasts J. van Lent, M. Storms, F. van der Meer, J. Wellink and R. Goldbach 2615–2623
- The complete nucleotide sequence of pea seed-borne mosaic virus RNA E. Johansen, O. F. Rasmussen, M. Heide and B. Borkhardt 2625–2632
- The location of the 5' end of the potato leafroll luteovirus subgenomic coat protein mRNA J. S. Miller and M. A. Mayo 2633–2638
- Infectious *in vitro* RNA transcripts derived from cloned cDNA of the cucurbit potyvirus, zucchini yellow mosaic virus A. Gal-On, Y. Antignus, A. Rosner and B. Raccach 2639–2643
- Expression of the tobacco mosaic virus movement protein using a baculovirus expression vector D. Atkins, K. Roberts, R. Hull, C. Prehaud and D. H. L. Bishop 2831–2835
- Nucleotide sequences of genome segments S8, encoding a capsid protein, and S10, encoding a 36K protein, of rice gall dwarf virus H. Noda, K. Ishikawa, H. Hibino, H. Kato and T. Omura 2837–2842
- Use of the asymmetric polymerase chain reaction and DNA sequencing to determine genetic variability of bean golden mosaic geminivirus in the Dominican Republic R. L. Gilbertson, M. R. Rojas, D. R. Russell and D. P. Maxwell 2843–2848
- Analysis of the potential promoter sequences of African cassava mosaic virus by transient expression of the β -glucuronidase gene X. Zhan, A. Haley, K. Richardson and B. Morris 2849–2852
- Detection of the movement protein of red clover necrotic mosaic virus in a cell wall fraction from infected *Nicotiana clevelandii* plants T. A. M. Osman and K. W. Buck 2853–2856

ANIMAL

- Location and nucleotide sequence of the gene encoding the viral enhancing factor of the *Trichoplusia ni* granulosis virus Y. Hashimoto, B. G. Corsaro and R. R. Granados 2645–2651
- Selection kinetics during serial cell culture passage of mixtures of wild-type *Autographa californica* nuclear polyhedrosis virus and its recombinant Ac360- β -gal Y.-S. Huang, K. L. Bobseine, R. W. Setzer and C. Y. Kawanishi 2653–2660
- Involvement of the influenza A virus PB2 protein in the regulation of viral gene expression J. Mukaigawa, E. Hatada, R. Fukuda and K. Shimizu 2661–2670

Sequence analysis of the haemagglutinin (HA) of influenza A (H1N1) viruses present in clinical material and comparison with the HA of laboratory-derived virus	J. S. Robertson, C. Nicolson, J. S. Bootman, D. Major, E. W. Robertson and J. M. Wood	2671–2677
Glycosylation of measles virus haemagglutinin protein in infected cells	H. Ogura, H. Sato, S. Kamiya and S. Nakamura	2679–2684
Enhancement of human immunodeficiency virus type 1 infection by cationic liposomes: the role of CD4, serum and liposome–cell interactions	K. Konopka, L. Stamatatos, C. E. Larsen, B. R. Davis and N. Düzgüneş	2685–2696
Nucleotide sequence of the genomic RNA of hepatitis C virus isolated from a human carrier: comparison with reported isolates for conserved and divergent regions	H. Okamoto, S. Okada, Y. Sugiyama, K. Kurai, H. Iizuka, A. Machida, Y. Miyakawa and M. Mayumi	2697–2704
<i>In vitro</i> homotypic and heterotypic interference by defective interfering particles of West Nile virus	N. C. Debnath, R. Tiernery, B. K. Sil, M. R. Wills and A. D. T. Barrett	2705–2711
Pathogenesis of avian encephalomyelitis viruses	D. R. Shafren and G. A. Tannock	2713–2719
Formation of subviral particles by <i>in vitro</i> translation of subgenomic poliovirus RNAs	J. P. M. Jore, G. Veldhuisen, P. H. Pouwels, A. Boeyé, R. Vrijssen and B. Rombaut	2721–2726
Cleavage of foot-and-mouth disease virus polyprotein is mediated by residues located within a 19 amino acid sequence	M. D. Ryan, A. M. Q. King and G. P. Thomas	2727–2732
Intragenic and intergenic recombination between temperature-sensitive mutants of vaccinia virus	Z. Fathi, L. M. Dyster, J. Seto, R. C. Condit and E. G. Niles	2733–2737
Frequent detection of bovine polyomavirus in commercial batches of calf serum by using the polymerase chain reaction	R. Schuurman, B. van Steenis, A. van Strien, J. van der Noordaa and C. Sol	2739–2745
Mapping of the epitopes of Epstein–Barr virus gp350 using monoclonal antibodies and recombinant proteins expressed in <i>Escherichia coli</i> defines three antigenic determinants	P.-F. Zhang, M. Klutch, G. Armstrong, L. Qualtiere, G. Pearson and C. J. Marcus-Sekura	2747–2755
Expression of HLA class I heavy chains and β_2-microglobulin does not affect human cytomegalovirus infectivity	M. F. C. Beersma, P. M. E. Wertheim- van Dillen, J. L. M. C. Geelen and T. E. W. Feltkamp	2757–2764
Induction of an endothelial cell growth factor by human cytomegalovirus infection of fibroblasts	J. Alcamí, T. Barzu and S. Michelson	2765–2770
Post-translational modification of the tegument proteins (VP13 and VP14) of herpes simplex virus type 1 by glycosylation and phosphorylation	D. M. Meredith, J. A. Lindsay, I. W. Halliburton and G. R. Whittaker	2771–2775
Abolition of the R_L neurovirulence phenotype of herpes simplex virus type 2 strain HG52 does not require deletion of the DR₁ element of the ‘a’ sequence	J. Harland and S. M. Brown	2777–2779
Degenerate primers based on highly conserved regions of amino acid sequence in papillomaviruses can be used in a generalized polymerase chain reaction to detect productive human papillomavirus infections	P. J. F. Snijders, C. J. L. M. Meijer and J. M. M. Walboomers	2781–2786
Activation of latent papillomavirus genomes by chronic mechanical irritation	M. Siegsmond, K. Wayss and E. Amtmann	2787–2789

Structural analysis of unstable intermediate and stable forms of recombinant fowlpox virus	K. Nazerian and S. Dhawale	2791–2795
Prostaglandin A inhibits replication of human immunodeficiency virus during acute infection	H. Ankel, O. Turriziani and G. Antonelli	2797–2800
Comparison of group B rotavirus genes 9 and 11	M. Petric, K. Mayur, S. Vonderfecht and J. J. Eiden	2801–2804
cDNA clones of Japanese hepatitis C virus genomes derived from a single patient show sequence heterogeneity	M. Oshima, M. Tsuchiya, M. Yagasaki, T. Orita, M. Hasegawa, K. Tomonoh, T. Kojima, Y. Hirata, O. Yamamoto, Y. Sho, E. Maeda and T. Arima	2805–2809
Recombinant baculoviruses expressing yellow fever virus E and NS1 proteins elicit protective immunity in mice	P. Desprès, J. Dietrich, M. Girard and M. Bouloy	2811–2816
Monoclonal antibodies differentiate between the haemagglutinating and the receptor-destroying activities of bovine coronavirus	J. Storz, G. Herrler, D. R. Snodgrass, K. A. Hussain, X. M. Zhang, M. A. Clark and R. Rott	2817–2820
Comparison of the 5' and 3' untranslated genomic regions of virulent and attenuated foot-and-mouth disease viruses (strains O₁ Campos and C₃ Resende)	X. Cao, I. E. Bergmann and E. Beck	2821–2825
Protective effects of monoclonal antibodies against lethal canine distemper virus infection in mice	N. Hirayama, M. Senda, N. Nakashima, M. Takagi, M. Sugiyama, Y. Yoshikawa and K. Yamanouchi	2827–2830