

Author Index for this issue

(v)–(vi)

JGV DIRECT

Dicer is involved in protection against influenza A virus infection
A. A. Matskevich and K. Moelling 2627–2635

ANIMAL

DNA viruses

Comparison of the antiviral potentials among the pseudorabies-resistant transgenes encoding different soluble forms of porcine nectin-1 in transgenic mice
E. Ono, Y. Tomioka, Y. Watanabe, K. Amagai, M. Morimatsu, K. Shinya and P. Cherel 2636–2641

Cytomegaloviral proteins pUL50 and pUL53 are associated with the nuclear lamina and interact with cellular protein kinase C
J. Milbradt, S. Auerochs and M. Marschall 2642–2650

Discovery of herpesviruses in bats
G. Wibbelt, A. Kurth, N. Yasmum, M. Bannert, S. Nagel, A. Nitsche and B. Ehlers 2651–2655

Post-translational modifications of Epstein–Barr virus *BARF1* oncogene-encoded polypeptide
M. de Turenne-Tessier and T. Ooka 2656–2661

Genetic diversity of cutaneous human papillomaviruses
O. Forslund 2662–2669

Persistence of *Mastomys natalensis* papillomavirus in multiple organs identifies novel targets for infection
J. Nafz, A. Köhler, M. Ohnesorge, I. Nindl, E. Stockfleth and F. Rösl 2670–2678

Complete-genome analysis of hepatitis B virus from wild-born chimpanzees in central Africa demonstrates a strain-specific geographical cluster
M. Makuwa, S. Souquière, O. Bourry, P. Rouquet, P. Telfer, P. Maucière, M. Kazanji, P. Roques and F. Simon 2679–2685

Maternofetal transmission of hepatitis B virus genotype E in Ghana, west Africa
D. Candotti, K. Danso and J.-P. Allain 2686–2695

Circular genomes related to anelloviruses identified in human and animal samples by using a combined rolling-circle amplification/sequence-independent single primer amplification approach
P. Biagini, R. Uch, M. Belhouchet, H. Attoui, J.-F. Cantaloube, N. Brisbarre and P. de Micco 2696–2701

Front cover illustration

Vero cells expressing measles virus monocistronic minigenomes containing the genes for enhanced green fluorescent protein or DsRed2 were infected with standard measles virus. The syncytia produced contain green or red fluorescent protein or both (yellow) at different ratios which results in a spectrum of colours when the syncytia are viewed by UV microscopy. Image courtesy Dr Linda Rennick, School of Biomedical Sciences, Queen's University of Belfast. See the paper by Rennick *et al.* in this issue, pp. 2710–2718.

- Immunization of Syrian golden hamsters with F subunit vaccine of human metapneumovirus induces protection against challenge with homologous or heterologous strains
S. Herfst, M. de Graaf, E. J. A. Schrauwen, N. D. Ulbrandt, A. S. Barnes, K. Senthil, A. D. M. E. Osterhaus, R. A. M. Fouchier and B. G. van den Hoogen 2702–2709
- Measles virus minigenomes encoding two autofluorescent proteins reveal cell-to-cell variation in reporter expression dependent on viral sequences between the transcription units
L. J. Rennick, W. P. Duprex and B. K. Rima 2710–2718
- Characterization of the epitope for anti-human respiratory syncytial virus F protein monoclonal antibody 101F using synthetic peptides and genetic approaches
S.-J. Wu, A. Schmidt, E. J. Beil, N. D. Day, P. J. Branigan, C. Liu, L. L. Gutshall, C. Palomo, J. Furze, G. Taylor, J. A. Melerio, P. Tsui, A. M. Del Vecchio and M. Kruszyński 2719–2723
- Molecular mechanisms of reversion to the *ts+* (non-temperature-sensitive) phenotype of influenza A cold-adapted (*ca*) virus strains
T. M. Tsfasman, S. G. Markushin, I. I. Akopova and Y. Z. Ghendon 2724–2729
- Superinfection exclusion in BHK-21 cells persistently infected with Junin virus
P. Ellenberg, F. N. Linero and L. A. Scolaro 2730–2739
- Persistent memory CD4⁺ and CD8⁺ T-cell responses in recovered severe acute respiratory syndrome (SARS) patients to SARS coronavirus M antigen
L. Yang, H. Peng, Z. Zhu, G. Li, Z. Huang, Z. Zhao, R. A. Koup, R. T. Bailer and C. Wu 2740–2748
- Comparative analysis of innate immune responses following infection of newborn calves with bovine rotavirus and bovine coronavirus
P. Aich, H. L. Wilson, R. S. Kaushik, A. A. Potter, L. A. Babiuk and P. Griebel 2749–2761
- Molecular epidemiological analyses of Japanese encephalitis virus isolates from swine in Japan from 2002 to 2004
R. Nerome, S. Tajima, T. Takasaki, T. Yoshida, A. Kotaki, C.-K. Lim, M. Ito, A. Sugiyama, A. Yamauchi, T. Yano, T. Kameyama, I. Morishita, M. Kuwayama, T. Ogawa, K. Sahara, A. Ikegaya, M. Kanda, Y. Hosoya, K. Itokazu, H. Onishi, S. Chiya, Y. Yoshida, Y. Tabei, K. Katsuki, K. Tabata, S. Harada and I. Kurane 2762–2768
- Rubella virus-induced superinfection exclusion studied in cells with persisting replicons
C. Claus, W.-P. Tzeng, U. G. Liebert and T. K. Frey 2769–2773
- Increased human immunodeficiency virus type 1 Env expression and antibody induction using an enhanced alphavirus vector
M. N. E. Forsell, G. M. McNerney, P. Dosenovic, Å. S. Hidmark, C. Eriksson, P. Liljeström, C. Grundner and G. B. Karlsson Hedestam 2774–2779
- Effects of *vpu* start-codon mutations on human immunodeficiency virus type 1 replication in macrophages
K. H. Richards and P. R. Clapham 2780–2792
- A feline immunodeficiency virus *vif*-deletion mutant remains attenuated upon infection of newborn kittens
X. Shen, C. M. Leutenegger, K. S. Cole, N. C. Pedersen and E. E. Sparger 2793–2799
- Impaired hyperphosphorylation of rotavirus NSP5 in cells depleted of casein kinase 1 α is associated with the formation of viroplasm with altered morphology and a moderate decrease in virus replication
M. Campagna, M. Budini, F. Arnoldi, U. Desselberger, J. E. Allende and O. R. Burrone 2800–2810

| | |
|--|-----------|
| Design of primers and use of RT-PCR assays for typing European bluetongue virus isolates: differentiation of field and vaccine strains P. P. C. Mertens, N. S. Maan, G. Prasad, A. R. Samuel, A. E. Shaw, A. C. Potgieter, S. J. Anthony and S. Maan | 2811–2823 |
| Evidence for functional significance of the permuted C motif in Co ²⁺ -stimulated RNA-dependent RNA polymerase of infectious bursal disease virus T. Letzel, E. Mundt and A. E. Gorbalenya | 2824–2833 |
| <i>Ectopis obliqua</i> picorna-like virus IRES-driven internal initiation of translation in cell systems derived from different origins J. Lu, Y. Hu, L. Hu, S. Zong, D. Cai, J. Wang, H. Yu and J. Zhang | 2834–2838 |

PLANT

| | |
|--|-----------|
| Adaptation of plum pox virus to a herbaceous host (<i>Pisum sativum</i>) following serial passages C. M. Wallis, A. L. Stone, D. J. Sherman, V. D. Damsteegt, F. E. Gildow and W. L. Schneider | 2839–2845 |
| A chimeric plum pox virus shows reduced spread and cannot compete with its parental wild-type viruses in a mixed infection C. Dietrich, Q. Al Abdallah, L. Lintl, A. Pietruszka and E. Maiss | 2846–2851 |
| Biological properties and relative fitness of inter-subgroup cucumber mosaic virus RNA 3 recombinants produced <i>in vitro</i> O. Pierrugues, L. Guilbaud, I. Fernandez-Delmond, F. Fabre, M. Tepfer and M. Jacquemond | 2852–2861 |
| A cucumber mosaic virus mutant lacking the 2b counter-defence protein gene provides protection against wild-type strains H. Ziebell, T. Payne, J. O. Berry, J. A. Walsh and J. P. Carr | 2862–2871 |
| Electron-lucent inclusion bodies are structures specialized for aphid transmission of cauliflower mosaic virus M. Khelifa, S. Journou, K. Krishnan, D. Gargani, P. Espérandieu, S. Blanc and M. Drucker | 2872–2880 |
| A monopartite begomovirus-associated DNA β satellite substitutes for the DNA B of a bipartite begomovirus to permit systemic infection M. Saeed, Y. Zafar, J. W. Randles and M. A. Rezaian | 2881–2889 |

OTHER AGENTS

| | |
|--|-----------|
| Urinary excretion and blood level of prions in scrapie-infected hamsters Y. Murayama, M. Yoshioka, H. Okada, M. Takata, T. Yokoyama and S. Mohri | 2890–2898 |
| Enteroglial and neuronal involvement without apparent neuron loss in ileal enteric nervous system plexuses from scrapie-affected sheep G. Marruchella, C. Ligios, V. Albanese, M. G. Cancedda, L. Madau, G. Lalatta-Costerbosa, M. Mazzoni, P. Clavenzani, R. Chiocchetti, G. Sarli, L. De Grossi, U. Agrimi, A. Aguzzi and G. Di Guardo | 2899–2904 |
| Enzymatic detergent treatment protocol that reduces protease-resistant prion protein load and infectivity from surgical-steel monofilaments contaminated with a human-derived prion strain V. A. Lawson, J. D. Stewart and C. L. Masters | 2905–2914 |