

Author Index for this issue

(v)–(vi)

JGV DIRECT

- Recovery of genetically defined murine norovirus in tissue culture by using a fowlpox virus expressing T7 RNA polymerase  
**Y. Chaudhry, M. A. Skinner and I. G. Goodfellow** 2091–2100

ANIMAL

DNA viruses

- The cysteine protease inhibitors cystatins inhibit herpes simplex virus type 1-induced apoptosis and virus yield in HEp-2 cells  
**P. Peri, V. Hukkanen, K. Nuutila, P. Saukko, M. Abrahamson and T. Vuorinen** 2101–2105
- Herpes simplex virus type 2 entry into cultured human corneal fibroblasts is mediated by herpesvirus entry mediator  
**V. Tiwari, S. Y. Shukla, B. Y. J. T. Yue and D. Shukla** 2106–2110
- Identification and characterization of a novel spliced form of the *meq* transcript in lymphoblastoid cell lines derived from Marek's disease tumours  
**T. Okada, M. Takagi, S. Murata, M. Onuma and K. Ohashi** 2111–2120
- Quantitative profiling of the shedding rate of the three Marek's disease virus (MDV) serotypes reveals that challenge with virulent MDV markedly increases shedding of vaccinal viruses  
**A. Islam and S. W. Walkden-Brown** 2121–2128
- Compatibility of the gH homologues of Epstein-Barr virus and related lymphocryptoviruses  
**L. Wu and L. M. Hutt-Fletcher** 2129–2136
- Independent evolution of overlapping polymerase and surface protein genes of hepatitis B virus  
**H. L. Zaaijer, F. J. van Hemert, M. H. Koppelman and V. V. Lukashov** 2137–2143
- Hepatitis B virus X protein differentially affects the ubiquitin-mediated proteasomal degradation of  $\beta$ -catenin depending on the status of cellular p53  
**J. K. Jung, H. J. Kwun, J.-O. Lee, P. Arora and K. L. Jang** 2144–2154
- Bovine papillomavirus load and mRNA expression, cell proliferation and p53 expression in four clinical types of equine sarcoid  
**L. Bogaert, M. Van Poucke, C. De Baere, J. Dewulf, L. Peelman, R. Ducatelle, F. Gasthuys and A. Martens** 2155–2161

Front cover illustration

Green fluorescent protein (GFP)-transgenic *Nicotiana benthamiana* plants infected systemically with potato virus A (PVA). Expression of GFP and symptoms were photographed under UV illumination (left) and visible light (right). Green fluorescence is due to GFP expressed from the *gfp* transgene, PVA chimera or both. The areas appearing red under UV light (in the top-most leaf, to the left) correspond to dark-green islands observed under visible light (to the right). Image courtesy Jari P. T. Valkonen, Department of Applied Biology, University of Helsinki, Finland. See the paper by Gammelgård *et al.* in this issue, pp. 2337–2346.

Analysis of two human parvovirus PARV4 genotypes identified in human plasma for fractionation <b>J. F. Fryer, E. Delwart, F. Bernardin, P. W. Tuke, V. V. Lukashov and S. A. Baylis</b>	2162–2167
Attenuation of chicken anemia virus by site-directed mutagenesis of VP2 <b>M. A. Peters, B. S. Crabb, K. A. Tivendale and G. F. Browning</b>	2168–2175
Stimulation of baculovirus transcriptome expression in mammalian cells by baculoviral transcriptional activators <b>C. Y. Y. Liu, C. H. Wang, J. C. Wang and Y. C. Chao</b>	2176–2184
Apoptosis is induced in the haemolymph and fat body of <i>Spodoptera exigua</i> larvae upon oral inoculation with <i>Spodoptera litura</i> nucleopolyhedrovirus <b>G. Feng, Q. Yu, C. Hu, Y. Wang, G. Yuan, Q. Chen, K. Yang and Y. Pang</b>	2185–2193
Identification of <i>Trichoplusia ni</i> ascovirus 2c virion structural proteins <b>L. Cui, X. Cheng, L. Li and J. Li</b>	2194–2197

## RNA viruses

Contribution of insertions and deletions to the variability of hepatitis C virus populations <b>M. Torres-Puente, J. M. Cuevas, N. Jiménez-Hernández, M. A. Bracho, I. García-Robles, F. Carnicer, J. del Olmo, E. Ortega, A. Moya and F. González-Candelas</b>	2198–2203
Disrupting the association of hepatitis C virus core protein with lipid droplets correlates with a loss in production of infectious virus <b>S. Boulant, P. Targett-Adams and J. McLauchlan</b>	2204–2213
Characterization of the variable region in the 3' non-translated region of dengue type 1 virus <b>S. Tajima, Y. Nukui, T. Takasaki and I. Kurane</b>	2214–2222
Yellow fever virus NS3 protease: peptide-inhibition studies <b>K. Löhr, J. E. Knox, W. Y. Phong, N. L. Ma, Z. Yin, A. Sampath, S. J. Patel, W.-L. Wang, W.-L. Chan, K. R. R. Rao, G. Wang, S. G. Vasudevan, T. H. Keller and S. P. Lim</b>	2223–2227
Crystal structure of the Murray Valley encephalitis virus NS5 methyltransferase domain in complex with cap analogues <b>R. Assenberg, J. Ren, A. Verma, T. S. Walter, D. Alderton, R. J. Hurrelbrink, S. D. Fuller, S. Bressanelli, R. J. Owens, D. I. Stuart and J. M. Grimes</b>	2228–2236
Complete genome characterization of Rocio virus ( <i>Flavivirus: Flaviviridae</i> ), a Brazilian flavivirus isolated from a fatal case of encephalitis during an epidemic in São Paulo state <b>D. B. A. Medeiros, M. R. T. Nunes, P. F. C. Vasconcelos, G.-J. J. Chang and G. Kuno</b>	2237–2246
Chimeric pestiviruses: candidates for live-attenuated classical swine fever marker vaccines <b>F. Wehrle, S. Renzullo, A. Faust, M. Beer, V. Kaden and M. A. Hofmann</b>	2247–2258
Complete protein linkage map between the P2 and P3 non-structural proteins of poliovirus <b>J. Yin, Y. Liu, E. Wimmer and A. V. Paul</b>	2259–2267
Expression of L* protein of Theiler's murine encephalomyelitis virus in the chronic phase of infection <b>K. Asakura, H. Murayama, T. Himeda and Y. Ohara</b>	2268–2274
Significance of arginine 20 in the 2A protease for swine vesicular disease virus pathogenicity <b>T. Inoue, Z. Zhang, L. Wang, L. West, J. B. Bashiruddin and G. J. Belsham</b>	2275–2279

Identification of the domains of the influenza A virus M1 matrix protein required for NP binding, oligomerization and incorporation into virions <b>S. L. Noton, E. Medcalf, D. Fisher, A. E. Mullin, D. Elton and P. Digard</b>	2280–2290
Evidence that the CM2 protein of influenza C virus can modify the pH of the exocytic pathway of transfected cells <b>T. Betakova and A. J. Hay</b>	2291–2296
Molecular and antigenic evolution and geographical spread of H5N1 highly pathogenic avian influenza viruses in western Africa <b>M. F. Ducatez, C. M. Olinger, A. A. Owoade, Z. Tarnagda, M. C. Tahita, A. Sow, S. De Landtsheer, W. Ammerlaan, J. B. Ouedraogo, A. D. M. E. Osterhaus, R. A. M. Fouchier and C. P. Muller</b>	2297–2306
Control of ruminant morbillivirus replication by small interfering RNA <b>R. Servan de Almeida, D. Keita, G. Libeau and E. Albina</b>	2307–2311
Phylogenetic relationships among sandfly fever group viruses ( <i>Phlebovirus: Bunyaviridae</i> ) based on the small genome segment <b>F. Xu, H. Chen, A. P. A. Travassos da Rosa, R. B. Tesh and S.-Y. Xiao</b>	2312–2319
Amino acids from both N-terminal hydrophobic regions of the Lassa virus envelope glycoprotein GP-2 are critical for pH-dependent membrane fusion and infectivity <b>C. Klewitz, H.-D. Klenk and J. ter Meulen</b>	2320–2328
Vertical-transmission routes for deformed wing virus of honeybees ( <i>Apis mellifera</i> ) <b>C. Yue, M. Schröder, S. Gisder and E. Genersch</b>	2329–2336

## PLANT

---

Potyvirus-induced gene silencing: the dynamic process of systemic silencing and silencing suppression <b>E. Gammelgård, M. Mohan and J. P. T. Valkonen</b>	2337–2346
Binding of tobamovirus replication protein with small RNA duplexes <b>Y. Kurihara, N. Inaba, N. Kutsuna, A. Takeda, Y. Tagami and Y. Watanabe</b>	2347–2352

## OTHER AGENTS

---

Experimental scrapie in ' <i>plt</i> ' mice: an assessment of the role of dendritic-cell migration in the pathogenesis of prion diseases <b>E. Levavasseur, P. Metharom, G. Dorban, H. Nakano, T. Kakiuchi, C. Carnaud, P. Sarradin and P. Aucouturier</b>	2353–2360
---	-----------

## ERRATUM

---

Conservation of the pentanucleotide motif at the top of the yellow fever virus 17D 3' stem-loop structure is not required for replication <b>P. A. G. C. Silva, R. Molenkamp, T. J. Dalebout, N. Charlier, J. H. Neyts, W. J. M. Spaan and P. J. Bredenbeek</b>	2361
--	------